

**From:** [Perez, Myra](#)  
**To:** [jonathan.d.mcburney@lmco.com](mailto:jonathan.d.mcburney@lmco.com)  
**Cc:** [Flores, Raymond](#); [Coltrain, Katrina](#)  
**Subject:** RE: Wilcox Project for Katrina Coltrain  
**Date:** Wednesday, October 28, 2015 10:59:00 AM

---

Hello Jonathan – Just want to acknowledge receipt of your questions and to let you know that a response will be forthcoming.

Take care.

Myra Perez

R6 CLP RSCC

281-983-2130

---

**From:** Mcburney, Jonathan D [<mailto:jonathan.d.mcburney@lmco.com>]

**Sent:** Wednesday, October 28, 2015 9:04 AM

**To:** Perez, Myra

**Subject:** Wilcox Project for Katrina Coltrain

Myra,

I have a question regarding VOA soil samples. Per the CLP Samplers guide, with no additional preservative other than freezing, there is no collection method for which an iced sample has greater than 48 hours holding time. Do you have a Regional standard methodology for soil VOA samples, i.e. preweighed 40 ml voas with stirring bars, Terracores, etc?

Thanks,

Jon

---

**From:** Perez, Myra [<mailto:perez.myra@epa.gov>]

**Sent:** Wednesday, October 14, 2015 4:08 PM

**To:** Mcburney, Jonathan D (US) <[jonathan.d.mcburney@lmco.com](mailto:jonathan.d.mcburney@lmco.com)>

**Cc:** Gorostiza, Sylvia <[Gorostiza.Sylvia@epa.gov](mailto:Gorostiza.Sylvia@epa.gov)>; Coltrain, Katrina <[coltrain.katrina@epa.gov](mailto:coltrain.katrina@epa.gov)>; Flores, Raymond <[flores.raymond@epa.gov](mailto:flores.raymond@epa.gov)>

**Subject:** EXTERNAL: Re: October FY16 Projections due September 14, 2015 - Wilcox - please reply to confirm receipt

Hello John – Attached please find pdf copy of the lab request form and the targets of concern with the reporting levels, submitted by the EPA RPM, Katrina Coltrain.

The CLP website link: <http://www2.epa.gov/clp>

CLP Organic SOW (SOM02.2) : <http://www2.epa.gov/clp/epa-contract-laboratory-program-statement-work-organic-superfund-methods-multi-media-multi>

CLP Inorganic SOW (ISM02.2): <http://www2.epa.gov/clp/epa-contract-laboratory-program-statement-work-inorganic-superfund-methods-multi-media-multi>

CLP Sampler's Guide: <http://www2.epa.gov/clp/contract-laboratory-program-guidance-field-samplers>

SCRIBE Helpdesk – All traffic reports (chain-of-custody) are generated using this software which was modified for CLP use. Please contact the helpdesk and request the most current version of the software. ERT Software Support - Phone 1-800-999-6990 - [ERTSupport@epa.gov](mailto:ERTSupport@epa.gov) - [www.ertsupport.org](http://www.ertsupport.org)

In order to export the xml file to SMO, you must first register – *Log in to the SMO Portal Site located at <http://epasmoweb.fedcsc.com/smoportal> using your Username and Password. If you do not have a Username and Password, register for access using your Organization.*



9750812

If you have any CLP questions please contact me at your earliest convenience.

Take care.

Myra Perez

R6 CLP RSCC

281-983-2130